



Gas And Water Ball Valves



PLUMBING 2026

www.enolgasusa.com

ENOLGAS USA PLUMBING LINE 2026



Enolgas USA introduces a comprehensive range of precision-engineered plumbing components designed for dependable flow control and system protection. This new product line features check valves, gate valves, globe valves, sillcocks, Y-strainers and more, each item manufactured to deliver durability, consistent performance, and ease of installation.

Built from high-quality materials and tested to rigorous standards, Enolgas USA valves are engineered to withstand demanding operating conditions while minimizing maintenance requirements. With optimized flow characteristics, corrosion resistance, and robust sealing performance, these products ensure reliable operation across residential, commercial, and light industrial applications.

This catalog provides an overview of the key specifications and features of the Enolgas USA plumbing line, offering our customers the assurance of proven performance and long service life.

**ENGINEERED FOR SAFETY.
BUILT FOR PERFORMANCE.
TRUSTED WORLDWIDE.**



***A 65-year history told
through thousands of
products.***

BALL VALVES



12411 Series- Brass Ball Valve NO Lead Full Port NPT



Features:

- Brass Body No Lead
- Sizes: 1/4"-4"
- Connection: Female x Female NPT Threaded
- Certifications: CSA | FM | NSF | LEAD FREE
- Standard: ANSI Z21.12:21
- Pressure:
 - 900 PSI (1/4"-3/8")
 - 600 PSI (1/2"-2-1/2")
 - 350 PSI (3")
 - 230 PSI (4")
- Temperature: -4°F to 266°F



Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
12411-002	1/4"	Female x Female NPT	20	100	30.48993
12411-003	3/8"	Female x Female NPT	20	100	30.42379
12411-005	1/2"	Female x Female NPT	20	80	35.53852
12411-007	3/4"	Female x Female NPT	12	48	33.11343
12411-010	1"	Female x Female NPT	12	32	33.863
12411-012	1-1/4"	Female x Female NPT	4	20	36.99357
12411-015	1-1/2"	Female x Female NPT	4	8	20.50299
12411-020	2"	Female x Female NPT	2	8	41
12411-025	2-1/2"	Female x Female NPT	1	4	39
12411-030	3"	Female x Female NPT	1	2	33
12411-040	4"	Female x Female NPT	1	1	29

12413 Series- Brass Ball Valve No Lead Full Port SWT X SWT



Features:

- Brass Body No Lead
- Sizes: 1/2"-2"
- Connection: Sweat x Sweat
- Certifications: NSF | LEAD FREE
- Standard: ANSI
- Pressure: 600 PSI
- Temperature: -4°F to 266°F



Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
12413-005	1/2"	Sweat x Sweat	20	80	30.4
12413-007	3/4"	Sweat x Sweat	12	48	31.4
12413-010	1"	Sweat x Sweat	8	32	32.4
12413-012	1-1/4"	Sweat x Sweat	2	16	27.8
12413-015	1-1/2"	Sweat x Sweat	4	8	22.4
12413-020	2"	Sweat x Sweat	2	4	18.8

CHECK VALVES



15150 Series - Lead Free Brass Swing Check Valve



Features:

- Brass Body
- Sizes: 3/8" - 4"
- Connection: NPT x NPT
- Lead Free

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15150-003	3/8"	NPT x NPT	10	100	43.60738
15150-005	1/2"	NPT x NPT	10	100	45.43722
15150-007	3/4"	NPT x NPT	10	80	47.99458
15150-010	1"	NPT x NPT	5	40	34.63899
15150-012	1-1/4"	NPT x NPT	5	30	45.32699
15150-015	1-1/2"	NPT x NPT	5	20	35.42824
15150-020	2"	NPT x NPT	2	16	46.77763
15150-025	2-1/2"	NPT x NPT	1	8	38.5588
15150-030	3"	NPT x NPT	1	6	42.1563
15150-040	4"	NPT x NPT	1	4	44.54726

15200 Series - Lead Free Brass Swing Check Valve



Features:

- Brass Body
- Sizes: 1/2"-4"
- Connection: Sweat x Sweat

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15200-005	1/2"	Sweat x Sweat	10	100	41.76212
15200-007	3/4"	Sweat x Sweat	10	80	49.35086
15200-010	1"	Sweat x Sweat	5	40	37.46531
15200-012	1-1/4"	Sweat x Sweat	5	30	45.00335
15200-015	1-1/2"	Sweat x Sweat	5	20	37.68974
15200-020	2"	Sweat x Sweat	2	12	32.45077
15200-025	2-1/2"	Sweat x Sweat	1	8	38.66903
15200-030	3"	Sweat x Sweat	1	6	40.6091
15200-040	4"	Sweat x Sweat	1	4	47.59775

15250 Series - Lead Free Bronze Spring Check Valve



Features:

- Bronze Body
- Sizes: 1/2" - 4"
- Connection: NPT x NPT

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15250-005	1/2"	NPT x NPT	10	100	44.9522
15250-007	3/4"	NPT x NPT	10	60	35.27392
15250-010	1"	NPT x NPT	10	40	35.75894
15250-012	1-1/4"	NPT x NPT	5	30	44.52891
15250-015	1-1/2"	NPT x NPT	5	20	33.79682
15250-020	2"	NPT x NPT	5	10	33.6425
15250-025	2-1/2"	NPT x NPT	1	6	31.83471
15250-030	3"	NPT x NPT	1	4	35.91326
15250-040	4"	NPT x NPT	1	2	37.16989



SILLOCKS



15000 Series - Lead Free Frost Free Sillcock - Anti Siphon



Features:

- Sizes: 1/2"x4" - 1/2"x14"
- Connection: MIP x Sweat
- Lead Free

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
11100-002	1/2" MIP X 1/2" SWEAT - 4"	MIP x Sweat	1	24	27.865
15000-060	1/2" MIP X 1/2" SWEAT - 6"	MIP x Sweat	1	24	30.056
15000-080	1/2" MIP X 1/2" SWEAT - 8"	MIP x Sweat	1	24	32.609
15000-100	1/2" MIP X 1/2" SWEAT - 10"	MIP x Sweat	1	24	34.881
15000-120	1/2" MIP X 1/2" SWEAT - 12"	MIP x Sweat	1	24	37.319
15000-140	1/2" MIP X 1/2" SWEAT - 14"	MIP x Sweat	1	24	39.324

15306 Series - Lead Free Brass Sillcock FIP



Features:

- Brass Body
- Sizes: 1/2"-3/4"
- Connection: FIP
- Lead Free

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15306-005	1/2"	FIP	10	60	35.2666
15306-007	3/4"	FIP	10	60	37.38092

15307 Series - Lead Free Brass Sillcock Sweat



Features:

- Brass Body
- Sizes: 1/2" - 3/4"
- Connection: Sweat
- Lead Free

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15307-005	1/2"	Sweat	10	60	34.41712
15307-007	3/4"	Sweat	10	60	35.7219



GATE VALVES



15050 Series - Lead Free Brass Full Port Gate Valve NPT



Features:

- Brass Body
- Sizes: 1/4" - 4"
- Connection: NPT
- Lead Free

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15050-002	1/4"	NPT	10	60	41.84369
15050-003	3/8"	NPT	10	60	37.21399
15050-005	1/2"	NPT	10	60	38.13993
15050-007	3/4"	NPT	10	40	36.55701
15050-010	1"	NPT	5	30	40.3225
15050-012	1-1/4"	NPT	5	20	36.79511
15050-015	1-1/2"	NPT	5	20	47.0025
15050-020	2"	NPT	2	12	43.17087
15050-025	2-1/2"	NPT	2	6	40.00283
15050-030	3"	NPT	1	4	35.18424
15050-040	4"	NPT	1	2	27.17415

15051 Series - Non for Potable Water Brass Full Port Gate Valve NPT x NPT



Features:

- Brass Body
- Sizes: 1/4"- 4"
- Connection: NPT x NPT
- Non For Potable Water

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15051-002	1/4"	NPT x NPT	10	60	39.13
15051-003	3/8"	NPT x NPT	10	60	37.68
15051-005	1/2"	NPT x NPT	10	60	38.07
15051-007	3/4"	NPT x NPT	10	40	35.56
15051-010	1"	NPT x NPT	5	30	40.52
15051-012	1-1/4"	NPT x NPT	5	20	36.40
15051-015	1-1/2"	NPT x NPT	5	20	47.22
15051-020	2"	NPT x NPT	2	12	43.36
15051-025	2-1/2"	NPT x NPT	2	6	39.63
15051-030	3"	NPT x NPT	1	4	35.25
15051-040	4"	NPT x NPT	1	2	27.99

15052 Series - Sweat x Sweat Lead Free Gate Valve



Features:

- Brass Body
- Sizes: 3/8" - 4"
- Connection: Sweat x Sweat
- Lead Free

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15052-003	3/8"	Sweat x Sweat	10	60	1.09789
15052-005	1/2"	Sweat x Sweat	10	60	33.20128
15052-007	3/4"	Sweat x Sweat	10	40	33.5981
15052-010	1"	Sweat x Sweat	5	30	35.38383
15052-012	1-1/4"	Sweat x Sweat	5	20	33.99493
15052-015	1-1/2"	Sweat x Sweat	5	20	43.5188
15052-020	2"	Sweat x Sweat	2	12	37.77803
15052-025	2-1/2"	Sweat x Sweat	2	6	32.5399
15052-030	3"	Sweat x Sweat	1	4	31.26123
15052-040	4"	Sweat x Sweat	1	2	26.56543



VACUUM BREAKERS



15400 Series - Lead Free Brass Vacuum Breaker



Features:

- Brass Body
- Sizes: 3/4"
- Connection: FGHT x MGHT
- Lead Free

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15400-007	3/4"	FGHT x MGHT	10	200	44.68765

GLOBE VALVES



15060 Series - Lead Free Brass Globe Valve



Features:

- Brass Body
- Sizes: 1/4" - 2"
- Connection: NPT x NPT
- Lead Free

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15052-002	1/4"	NPT x NPT	10	80	50.37557
15052-003	3/8"	NPT x NPT	10	80	41.16907
15052-005	1/2"	NPT x NPT	10	80	44.87813
15052-007	3/4"	NPT x NPT	5	60	46.83671
15052-010	1"	NPT x NPT	5	40	47.83584
15052-012	1-1/4"	NPT x NPT	5	20	34.98732
15052-015	1-1/2"	NPT x NPT	4	12	25.89899
15052-020	2"	NPT x NPT	2	12	38.26338

Y STRAINERS



15251 Series - Lead Free Bronze Y-Strainer FIP



Features:

- Bronze Body
- Sizes: 1/4" - 3"
- Connection: FIP
- Lead Free

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15251-002	1/4"	FIP	12	48	42.013
15251-003	3/8"	FIP	12	48	40.40451
15251-005	1/2"	FIP	6	48	35.29332
15251-007	3/4"	FIP	8	32	39.73166
15251-010	1"	FIP	8	16	31.91849
15251-012	1-1/4"	FIP	6	12	33.25449
15251-015	1-1/2"	FIP	2	12	44.53332
15251-020	2"	FIP	2	8	47.79175
15251-025	2-1/2"	FIP	1	4	22.69259
15251-025	3"	FIP	1	2	28.92095

15252 Series - Lead Free Bronze Y-Strainer C x F



Features:

- Bronze Body
- Sizes: 1/2" - 2"
- Connection: C x F
- Lead Free

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15252-005	1/2"	C x F	12	48	35.04905
15252-007	3/4"	C x F	8	32	35.63989
15252-010	1"	C x F	8	16	26.94487
15252-012	1-1/4"	C x F	6	12	30.75445
15252-015	1-1/2"	C x F	2	12	42.22729
15252-020	2"	C x F	2	8	46.37639

HOSE BIBBS



15300 Series - Lead Free Brass Hose Bibb



Features:

- Brass Body
- Sizes: 1/2" - 3/4"
- Connection: MIP
- Lead Free

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15300-005	1/2"	MIP	10	100	40.07999
15300-007	3/4"	MIP	10	100	43.38692

15302 Series - Lead Free Brass 1/4 Turn Hose Bibb



Features:

- Brass Body
- Sizes: 1/2" - 3/4"
- Connection:
 - MIP x Sweat
 - MIP
- Lead Free

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15302-005	1/2"	MIP x Sweat	10	100	42.49846
15302-007	3/4"	MIP	10	100	46.44693

GARDEN VALVES



15301 Series - Lead Free Brass Bent Nose Garden Valve FIP x MHT Heavy Duty



Features:

- Brass Body
- Sizes: 1/2" - 1"
- Connection: FIP x MHT
- Lead Free

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15301-005	1/2"	FIP x MHT	10	60	42.48303
15301-007	3/4"	FIP x MHT	10	40	29.56713
15301-010	1"	FIP x MHT	10	40	33.55723

BOILER DRAINS



15304 Series - Lead Free Brass Press x MIP Boiler Drain



Features:

- Brass Body
- Sizes: 1/2" - 3/4"
- Connection: Press x MIP
- Lead Free

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15304-005	1/2"	Press x MIP	10	80	40.57471
15304-007	3/4"	Press x MIP	10	80	43.60103

15305 Series - Lead Free Brass Boiler Drain



Features:

- Brass Body
- Sizes: 1/2" - 3/4"
- Connections:
 - MIP x Sweat
 - MIP
- Lead Free

Item	Size	Connection Type	Inner Case Qty	Master Case Qty	MC weight lbs
15305-005	1/2"	MIP x Sweat	12	72	37.9
15305-007	3/4"	MIP	12	72	37.56671








ENOLGAS

USA



www.enolgasusa.com



sales@enolgasusa.com



754-205-7903